



Wall mounted cooling device TopThermal Blue 0.3-4 kW+SK 3302.100

URL:https://www.sxplc.com/wall-mounted-cooling-device-topthermal-blue-0-3-4-kw-sk-3302-100

Product data sheet

Wall mounted cooling device TopThermal Blue 0.3-4 kW

Product Description


Product number: SK 3302.100


Product Description

High efficiency Blue wall mounted cooling equipment, with a cooling capacity range of 300 W to 4000 W, and models with a cooling capacity of over 1000 W equipped with an integrated electronic condensate evaporator.

Your Benefits


Can be connected to the IoT interface through a Blue IoT adapter for cooling equipment with a power of





Width: 280 mm
Height: 550 mm
Depth: 140 mm
Protection level IP, in accordance with EN 60 529 standard
External circulation protection level IP 34
Internal circulation protection level IP 54
Protection category NEMA
UL Type 12
Refrigerant/refrigerant medium
Refrigerant: R134a
Quantity: 0.1 kg
Global Warming Potential (GWP): 1430
CO 2 equivalent (CO 2 e): 0.14 t
Temperature regulator
Basic controller (factory setting+35 ° C)

Working temperature range
10 °C 55 ° C
Storage temperature range
-40 °C 70 ° C
Adjustment range
30 °C 55 ° C
Rated power Pel
Rated power L35 L35/50 Hz: 0.29 kW
Rated power L35 L35/60 Hz: 0.31 kW
Rated power L35 L50/50 Hz: 0.3 kW
Rated power L35 L50/60 Hz: 0.33 kW
Permissible work pressure (maximum p)
25 bar
Front fuse
Automatic fuse/fuse: 10 A



twenty-seven million one hundred and eighty thousand seven hundred and four

Product Description

SK RTT wall mounted air conditioner 300W

