



Motor YB2-280S-4

URL:https://www.sxplc.com/motor-yb2-280s-4

Product data sheet

Number of Poles		
4		
Starting Mode		
Variable Frequency Starting		
Certification		
ISO9001, CCC		
Variable Frequency Starting Certification		

Tongbo Rated Frequency 50Hz, 60Hz Rated Voltage 380V or Any Voltage Between 220V-760V Protection Class IP44, IP54, IP55	Brand	
Rated Frequency 50Hz, 60Hz Rated Voltage 380V or Any Voltage Between 220V-760V Protection Class IP44, IP54, IP55		
Rated Voltage 380V or Any Voltage Between 220V-760V Protection Class IP44, IP54, IP55	Tongbo	
Rated Voltage 380V or Any Voltage Between 220V-760V Protection Class IP44, IP54, IP55		
Rated Voltage 380V or Any Voltage Between 220V-760V Protection Class IP44, IP54, IP55		
Rated Voltage 380V or Any Voltage Between 220V-760V Protection Class IP44, IP54, IP55	Rated Frequency	
Rated Voltage 380V or Any Voltage Between 220V-760V Protection Class IP44, IP54, IP55		
380V or Any Voltage Between 220V-760V Protection Class IP44, IP54, IP55	50Hz, 60Hz	
380V or Any Voltage Between 220V-760V Protection Class IP44, IP54, IP55		
380V or Any Voltage Between 220V-760V Protection Class IP44, IP54, IP55		
Protection Class IP44, IP54, IP55	Rated Voltage	
Protection Class IP44, IP54, IP55		
IP44, IP54, IP55	380V or Any Voltage Between 220V-760V	
IP44, IP54, IP55		
IP44, IP54, IP55		
	Protection Class	
Cooling Method	IP44, IP54, IP55	
Cooling Method		
Cooling Method		
	Cooling Method	

IC0141	
Duty	
S1(Continuous)	
5	
Transport Package	
Carton Box	
Origin	
Fujian, China	
•	
HS Code	
85015200	

Production Capacity

10000 Sets Per Month

