



Contactor,3RF2320-1AA44

URL:<https://www.sxplc.com/contactor-3rf2320-1aa44>

Product data sheet

product designation	solid-state contactor
design of the product	single-phase
product type designation	3RF23
manufacturer's article number	
<ul style="list-style-type: none"> • _1 of the accessories that can be ordered 	3RF2900-3PA88
<ul style="list-style-type: none"> • _3 of the accessories that can be ordered 	3RF2900-0EA18
<ul style="list-style-type: none"> • _4 of the accessories that can be ordered 	3RF2920-0GA16
<ul style="list-style-type: none"> • _5 of the accessories that can be ordered 	3RF2920-0FA08
product designation	
<ul style="list-style-type: none"> • _1 of the accessories that can be ordered 	terminal cover
<ul style="list-style-type: none"> • _3 of the accessories that can be ordered 	converter
<ul style="list-style-type: none"> • _4 of the accessories that can be ordered 	load monitoring
<ul style="list-style-type: none"> • _5 of the accessories that can be ordered 	load monitoring, basis
General technical data	
product function	zero-point switching
power loss [W] for rated value of the current	
<ul style="list-style-type: none"> • at AC in hot operating state 	20 W
<ul style="list-style-type: none"> • at AC in hot operating state per pole 	20 W
<ul style="list-style-type: none"> • without load current share typical 	0.6 W
insulation voltage rated value	600 V
degree of pollution	3
type of voltage	
<ul style="list-style-type: none"> • of the operating voltage 	AC
<ul style="list-style-type: none"> • of the control supply voltage 	DC
surge voltage resistance of main circuit rated value	6 kV
shock resistance according to IEC 60068-2-27	15g / 11 ms
vibration resistance according to IEC 60068-2-6	2g
reference code according to DIN 40719 extended according to IEC 204-2 according to IEC 750	K
reference code according to EN 61346-2	Q
reference code according to IEC 81346-2	Q
Substance Prohibitance (Date)	05/28/2009
SVHC substance name	Lead - 7439-92-1 Lead monoxide (lead oxide) - 1317-36-8 Dibutylbis(pentane-2,4-dionato-O,O')tin - 22673-19-4
Main circuit	
number of poles for main current circuit	1
number of NO contacts for main contacts	1
number of NC contacts for main contacts	0
type of voltage of the operating voltage	AC

